

21.5 Spare parts for types TV / TVV and TVN / TVVN




Fig. 53

Installation and Operating Manual, 3626-011000 en.
2014-01 / Rev. 9, Printed in Germany.
Subject to modification due to technical development.

21.5.1 Spare parts for types 366 - 1150 TV / TVV




Fig. 54

Illustration showing connecting coupling type EPK as an example.

21.5.2 Spare parts for types 366 - 650 TVN / TVVN




Fig. 55

Upper part:
Flange design 1
(long laid length)

Lower part:
Flange design 2
(short laid length)
For type TVVN only.

→ For connecting couplings, see Chapter 22, page 100

- 1) For arrangement and quantity, see the tables in Chapter 15.4.
- 2) Only for continuous operation or operating fluid 'water' (TW...).
- 3) Only for type T...F..., not shown in the illustration!
- 4) For sizes 366 and 422 inserted in the delay chamber groove.
- 5) In case of a not ex-proof coupling: Set screw is optional for connecting couplings ENK-SV, ENK-SX and EPK.
For an ex-proof coupling: Set screw is standard

Screws and standard parts				Wearing parts				Coupling main parts			
Item No.	Description	TV TVV	TVN TVVN	Item No.	Description	TV TVV	TVN TVVN	Item No.	Description	TV TVV	TVN TVVN
0050	Fixing bolt	x		0130	Grooved ball bearing	x	x	0040	Coupling hub / shaft	x	x
0265	Blind screw	x	x	0140	Grooved ball bearing	x	x	0080	Holding disk	x	
0390	Filler plug	x	x	0160	Radial	x	x	0090	Inner wheel	x	x
0394	Blind screw	x	x	0165	shaft sealing ring	x	x	0100	Rivet-/screw-/clamping ring	x	x
0396	Sight glass	x	x	0170	Radial	x	x	0190	Shell	x	x
0455	Nozzle screw	x	x	0175	shaft sealing ring	x	x	0300	Outer wheel	x	x
0780	Hexagon Screw		x	0210	Tolerance ring	x	x	0410	Delay chamber	x	x
1830	Hexagon Screw	x		0260	Fusible plug	x	x	0770	Primary coupling flange		x
1845	Set screw		x	0320	Tolerance ring	x	x	0800	Bearing support cover	x	x
1870	Hexagon Screw	x		0395	Fusible plug	x	x	0830	Sealing ring cover	x	x
1880	Spring washer	x		0510	O-ring	x	x	1000	Valve insert (type T...F...)	x	x
				0820	O-ring	x	x	1800	Hub	x	
				0545, 0994	Flat seal	x	x	1810	Ring / flange	x	
				1820	Flexible element	x		1860	Sheet-metal holder	x	

